# SCHEDULE L

# SEWER CONNECTION AND REGULATION

## METERED CONSUMPTION RATES AND BILLING

### **Rates for City Sewerage System**

#### 1. Rates for Sewer User Consumption

Rates for connection to the City Sewerage System for all users are based on water consumption in of cubic metres (m<sup>3</sup>). One cubic metre is 1,000 litres. Sewer user consumption rates are as follows:

Customer Category	Description	Volume Rate
Residential	Service to a single-family dwelling unit is billed at the residential unit rate	\$0.53 per m <sup>3</sup>
Non-Residential (low volume)	Service that is not to a single-family dwelling and that is consuming less than 35,000 cubic meters of water per year is billed for sewer at the non-residential low use rate	\$0.74 per m <sup>3</sup>
Non-Residential (high volume)	Service that is not to a single-family dwelling and that is consuming more than 35,000 cubic meters of water per year is billed for sewer at the non- residential high rate	\$0.65 per m <sup>3</sup>

# 2. Fixed System Charge

Fixed System Charges are calculated monthly based on the size of water meter.

Meter Size (millimetres)	Meter Size (inches)	Monthly Charge
16	5/8	\$ 23.47
19	3/4	\$ 23.47
25	1	\$ 23.47
38	1 1/2	\$ 48.89
50	2	\$ 48.89
75	3	\$136.88

100	4	\$136.88
150	6	\$136.88
200	8	\$136.88
250	10	\$293.33

## 3. Billing Period

Unless otherwise determined by resolution of Council, Meters shall be read and the Water Consumption and Fixed System Charge determined at least three times a year and the resulting charges shall be due and payable on the date stated as the "Due Date".

### 4. Septage Dump Fee

A charge of \$190.00 per load shall be charged for dumping of septage by tanker trucks.

### 5. Fish Processing Facilities

Liquid Industrial Wastes discharged from fish processing facilities into the City's Sewerage System will be subject to user charges set out in Table 1 below. These charges are in addition to the usual charges associated with any connection to and use of the City's Sewerage System:

Special User Charges for Fish Processing Facilities				
Quality Indicator	Concentration	Fee		
Biochemical Oxygen Demand (BOD5)	0 - 0.69 tonne per day	No Charge		
	0.7 - 1.6 tonne per day	\$435 per tonne		
	over 1.6 tonne per day	Not Permitted		
Total Suspended Solids (TSS)	0 - 1.1 tonne per day	No Charge		
	1.2 - 2.6 tonne per day	\$237 per tonne		
	Over 2.6 tonne per day	Not Permitted		