Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
830091	80H3288	E 368788.589 N5453299.523 El 83.144	0.9998009	0.9999894	173468 916718	80H3289 80H3293	TERR TERR	270 00 23 326 02 36	198.705 284.849	198.744 284.905
173468	80H3289	E 368589.884 N5453299.545 El 80.668	0.9998019	0.9999898	830091 987305	80H3288 80H3290	TERR TERR	90 00 23 308 50 04	198.705 83.367	198.744 83.384
987305	80H3290	E 368524.944 N5453351.822 El 75.306	0.9998030	0.9999906	173468 898940	80H3289 80H3291	TERR TERR	128 50 04 293 18 37	83.367 75.463	83.384 75.478
898940	80H3291	E 368455.641 N5453381.684 El 68.809	0.9998042	0.9999916	987305 100461	80H3290 80H3292	TERR TERR	113 18 37 325 52 06	75.463 100.903	75.478 100.922
100461	80H3292	E 368399.025 N5453465.206 El 62.016	0.9998055	0.9999927	258905 898940	80H3295 80H3291	TERR TERR	16 33 07 145 52 06	75.535 100.903	75.549 100.922
916718	80H3293	E 368629.482 N5453535.794 El 66.653	0.9998040	0.9999920	830091 508861	80H3288 80H3294	TERR TERR	146 02 36 269 52 09	284.849 114.806	284.905 114.829
508861	80H3294	E 368514.676 N5453535.532 El 60.631	0.9998053	0.9999929	916718	80H3293	TERR	89 52 09	114.806	114.829
258905	80H3295	E 368420.543 N5453537.611 El 55.093	0.9998065	0.9999938	759423 100461	80H3296 80H3292	TERR TERR	11 34 56 196 33 07	92.447 75.535	92.465 75.549
759423	80H3296	E 368439.104 N5453628.175 El 46.912	0.9998077	0.9999951	258905 214395	80H3295 80H3297	TERR TERR	191 34 56 304 02 25	92.447 107.671	92.465 107.692
214395	80H3297	E 368349.883 N5453688.447 El 35.608	0.9998098	0.9999968	782144 759423	80H3321 80H3296	TERR TERR	12 12 59 124 02 25	253.041 107.671	253.089 107.692
98558	80H3298	E 369188.725 N5453294.519 El 100.447	0.9997969	0.9999867	591438 118778	80H3302 80H3299	TERR TERR	1 09 12 89 36 50	213.269 201.422	213.313 201.463
118778	80H3299	E 369390.142 N5453295.876 El 125.798	0.9997923	0.9999827	457796 98558	80H3300 80H3298	TERR TERR	3 23 02 269 36 50	118.363 201.422	118.388 201.463

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing	Distance Metres	Distance Metres
457796	80H3300	E 369397.128 N5453414.033 El 124.072	0.9997925	0.9999830	118778 335117	80H3299 80H3301	TERR TERR	183 23 02 358 29 12	118.363 212.128	118.388 212.172
335117	80H3301	E 369391.526 N5453626.087 El 118.518	0.9997934	0.9999839	457796 163428	80H3300 80H3308	TERR TERR	178 29 12 358 29 43	212.128 180.227	212.172 180.264
591438	80H3302	E 369193.018 N5453507.745 El 97.003	0.9997974	0.9999872	777144 98558	80H3307 80H3298	TERR TERR	1 22 25 181 09 12	228.987 213.269	229.033 213.313
988790	80H3303	E 368596.049 N5453750.457 El 52.221	0.9998064	0.9999942	223800 295733	80H3304 80H3319	TERR TERR	90 22 12 357 03 56	101.038 199.718	101.057 199.757
223800	80H3304	E 368697.085 N5453749.804 El 61.062	0.9998046	0.9999929	724948 988790	80H3318 80H3303	TERR TERR	1 23 41 270 22 12	199.978 101.038	200.017 101.057
341073	80H3305	E 368881.298 N5453755.538 El 68.252	0.9998029	0.9999917	724997	80H3316	TERR	6 57 57	193.957	193.995
944611	80H3306	E 369101.849 N5453753.532 El 79.624	0.9998004	0.9999899	678755 777144	80H3315 80H3307	TERR TERR	1 13 02 99 53 51	181.334 98.119	181.370 98.139
777144	80H3307	E 369198.507 N5453736.666 El 84.882	0.9997993	0.9999891	591438 944611 138420	80H3302 80H3306 80H3314	TERR TERR TERR	181 22 25 279 53 51 357 30 50	228.987 98.119 219.202	229.033 98.139 219.246
163428	80H3308	E 369386.793 N5453806.252 El 109.241	0.9997949	0.9999853	43737 335117	80H3313 80H3301	TERR TERR	1 25 47 178 29 43	134.625 180.227	134.652 180.264
922443	80H3309	E 369580.945 N5453816.963 El 120.191	0.9997925	0.9999836	730978 46854	80H3312 80H3310	TERR TERR	1 43 20 60 03 03	193.999 112.508	194.039 112.532
46854	80H3310	E 369678.430 N5453873.131 El 124.637	0.9997915	0.9999829	922443	80H3309	TERR	240 03 03	112.508	112.532
908137	80H3311	E 369787.858 N5454006.002 El 125.454	0.9997910	0.9999828	730978	80H3312	TERR	271 23 16	201.141	201.183

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
730978	80H3312	E 369586.776	0.9997945	0.9999856	908137	80H3311	TERR	91 23 16	201.141	201.183
		N5454010.874			922443	80H3309	TERR	181 43 20	193.999	194.039
		El 107.606			758243	80H3330	TERR	359 39 04	213.707	213.751
43737	80H3313	E 369390.153	0.9997958	0.9999862	115915	80H3329	TERR	1 35 29	270.820	270.875
		N5453940.835			163428	80H3308	TERR	181 25 47	134.625	134.652
		El 103.285			138420	80H3314	TERR	274 12 56	201.699	201.740
138420	80H3314	E 369188.999	0.9998003	0.9999901	43737	80H3313	TERR	94 12 56	201.699	201.740
		N5453955.662			777144	80H3307	TERR	177 30 50	219.202	219.246
		El 78.796			678755	80H3315	TERR	255 57 20	85.865	85.882
678755	80H3315	E 369105.701	0.9998008	0.9999904	138420	80H3314	TERR	75 57 20	85.865	85.882
		N5453934.825			944611	80H3306	TERR	181 13 02	181.334	181.370
		El 76.951			724997	80H3316	TERR	273 46 14	201.315	201.355
					909143	80H3327	TERR	358 03 31	317.603	317.666
724997	80H3316	E 368904.821	0.9998038	0.9999926	877019	80H3317	TERR	1 22 50	142.596	142.624
		N5453948.063			678755	80H3315	TERR	93 46 14	201.315	201.355
		El 62.390			341073	80H3305	TERR	186 57 57	193.957	193.995
					724948	80H3318	TERR	270 28 07	202.876	202.915
877019	80H3317	E 368908.256	0.9998040	0.9999929	241158	80H3326	TERR	1 24 57	154.907	154.938
		N5454090.617			724997	80H3316	TERR	181 22 50	142.596	142.624
		El 60.952								
724948	80H3318	E 368701.952	0.9998051	0.9999933	724997	80H3316	TERR	90 28 07	202.876	202.915
		N5453949.723			223800	80H3304	TERR	181 23 41	199.978	200.017
		El 58.048			295733	80H3319	TERR	270 05 39	116.127	116.150
295733	80H3319	E 368585.825	0.9998063	0.9999941	393322	80H3320	TERR	12 10 55	96.887	96.906
		N5453949.913			724948	80H3318	TERR	90 05 39	116.127	116.150
		El 53.017			988790	80H3303	TERR	177 03 56	199.718	199.757
					782144	80H3321	TERR	265 33 44	182.946	182.981
393322	80H3320	E 368606.270	0.9998065	0.9999944	295733	80H3319	TERR	192 10 55	96.887	96.906
		N5454044.619			492173	80H3323	TERR	354 55 17	166.066	166.099
		El 51.357								
782144	80H3321	E 368403.428	0.9998100	0.9999972	295733	80H3319	TERR	85 33 44	182.946	182.981
		N5453935.757			214395	80H3297	TERR	192 12 59	253.041	253.089
		El 33.113			712877		TERR	233 37 28	1878.295	1878.643
					149971	80H3322	TERR	355 05 58	271.933	271.985
149971	80H3322	E 368380.198	0.9998105	0.9999977	94268	80H3338	TERR	1 26 23	147.831	147.860
		N5454206.697			766758	90H6220	TERR	1 45 05	133.698	133.723
		El 30.154			492173	80H3323	TERR	89 05 44	211.397	211.438
					782144	80H3321	TERR	175 05 58	271.933	271.985
					752659	90H6204	TERR	271 20 30	90.981	90.998

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
492173	80H3323	E 368591.569	0.9998075	0.9999954	76893	91H9824	TERR	1 19 46	194.273	194.311
		N5454210.033			52258	80H3373	GPS	6 12 22	1193.584	1193.813
		El 44.988			740738	80H3527	GPS	9 11 31	4435.486	4436.346
					515775	634	GPS	43 40 07	7195.594	7197.252
					95406	80H3333	GPS	74 34 60	826.773	826.936
					456848	80H3324	TERR	127 41 21	147.410	147.438
					393322	80H3320	TERR	174 55 17	166.066	166.099
					149971	80H3322	TERR	269 05 44	211.397	211.438
					691378	27720	GPS	300 49 21	2380.113	2380.556
					577114	80H3509	GPS	333 26 03	4929.297	4930.212
456848	80H3324	E 368708.221	0.9998059	0.9999942	594424	80H3325	TERR	72 33 18	97.047	97.066
		N5454119.911			492173	80H3323	TERR	307 41 21	147.410	147.438
		El 52.606								
594424	80H3325	E 368800.804	0.9998046	0.9999932	241158	80H3326	TERR	49 04 35	147.276	147.305
		N5454149.004			456848	80H3324	TERR	252 33 18	97.047	97.066
		El 58.989								
241158	80H3326	E 368912.084	0.9998036	0.9999925	909143	80H3327	TERR	87 52 49	182.983	183.019
		N5454245.477			877019	80H3317	TERR	181 24 57	154.907	154.938
		El 63.332			594424	80H3325	TERR	229 04 35	147.276	147.305
909143	80H3327	E 369094.942	0.9998022	0.9999917	296244	80H3335	TERR	1 31 47	187.187	187.224
		N5454252.246			511931	80H3328	TERR	100 15 33	161.288	161.320
		El 68.516			678755	80H3315	TERR	178 03 31	317.603	317.666
					241158	80H3326	TERR	267 52 49	182.983	183.019
511931	80H3328	E 369253.651	0.9997998	0.9999898	287243	80H3334	TERR	1 30 24	207.498	207.540
		N5454223.520			115915	80H3329	TERR	94 45 02	144.519	144.548
		El 80.742			909143	80H3327	TERR	280 15 33	161.288	161.320
115915	80H3329	E 369397.674	0.9997979	0.9999884	43737	80H3313	TERR	181 35 29	270.820	270.875
		N5454211.551			511931	80H3328	TERR	274 45 02	144.519	144.548
		El 89.613			95406	80H3333	TERR	357 37 04	218.458	218.502
758243	80H3330	E 369585.474	0.9997961	0.9999872	133454	80H3332	TERR	1 28 32	185.903	185.941
		N5454224.577			495945	80H3331	TERR	94 06 25	207.095	207.138
		El 97.263			730978	80H3312	TERR	179 39 04	213.707	213.751
495945	80H3331	E 369792.038	0.9997932	0.9999849	758243	80H3330	TERR	274 06 25	207.095	207.138
		N5454209.745								
		El 111.954								
133454	80H3332	E 369590.262	0.9997967	0.9999878	789123	80H3348	TERR	4 49 39	215.860	215.904
		N5454410.418			758243	80H3330	TERR	181 28 32	185.903	185.941
		El 93.281			95406	80H3333	TERR	275 29 44	202.599	202.640

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
95406	80H3333	E 369388.593 N5454429.820 El 83.975	0.9997988	0.9999893	766402	80H3347	TERR	1 26 40	185.957	185.994
					515775	634	GPS	39 55 18	6500.172	6501.699
					41483	11706	GPS	47 17 53	14510.422	14514.331
					270983	73C066	GPS	72 13 46	25620.075	25626.249
					133454	80H3332	TERR	95 29 44	202.599	202.640
					115915	80H3329	TERR	177 37 04	218.458	218.502
					492173	80H3323	GPS	254 34 60	826.773	826.936
					287243	80H3334	TERR	270 29 54	129.491	129.517
					691378	27720	GPS	289 23 13	3011.738	3012.312
					577114	80H3509	GPS	324 22 41	5153.405	5154.384
					518878	27718	GPS	337 33 21	22672.754	22679.601
					740738	80H3527	GPS	358 46 51	4159.684	4160.509
					577577	80H3429	GPS	359 45 41	2247.251	2247.695
287243	80H3334	E 369259.107 N5454430.947 El 80.803	0.9997997	0.9999898	95406	80H3333	TERR	90 29 54	129.491	129.517
					511931	80H3328	TERR	181 30 24	207.498	207.540
					296244	80H3335	TERR	273 01 40	159.391	159.423
296244	80H3335	E 369099.938 N5454439.366 El 68.370	0.9998022	0.9999917	539130	80H3345	TERR	6 58 39	183.917	183.953
					287243	80H3334	TERR	93 01 40	159.391	159.423
					909143	80H3327	TERR	181 31 47	187.187	187.224
448100	80H3336	E 368897.809 N5454404.060 El 63.412	0.9998036	0.9999925	29033	80H3343	TERR	1 09 52	108.693	108.714
83394	80H3337	E 368596.173 N5454404.346 El 44.824	0.9998075	0.9999954	MARKER DESTROYED					
94268	80H3338	E 368383.913 N5454354.481 El 39.693	0.9998090	0.9999962	196030	87H2624	TERR	6 54 51	302.927	302.985
					149971	80H3322	TERR	181 26 23	147.831	147.860
206102	80H3339	E 368418.960 N5454657.080 El 42.601	0.9998084	0.9999957	MARKER DESTROYED					
23614	80H3340	E 367951.230 N5458121.332 El 3.011	0.9998161	1.0000019	MARKER DESTROYED					
743401	80H3341	E 368702.103 N5454631.956 El 48.565	0.9998066	0.9999948	712984	80H3355	TERR	4 09 20	190.444	190.481
					178079	80H3342	TERR	139 36 16	121.855	121.878
					462325	80H8340	TERR	283 51 32	84.918	84.935
178079	80H3342	E 368781.072 N5454539.152 El 55.237	0.9998053	0.9999938	29033	80H3343	TERR	102 31 27	121.845	121.869
					743401	80H3341	TERR	319 36 16	121.855	121.878

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors.
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
29033	80H3343	E 368900.018	0.9998036	0.9999925	29157	80H3512	TERR	6 08 11	224.273	224.318
		N5454512.730			657023	80H3344	TERR	83 35 05	117.261	117.284
		El 63.402			448100	80H3336	TERR	181 09 52	108.693	108.714
					178079	80H3342	TERR	282 31 27	121.845	121.869
657023	80H3344	E 369016.544	0.9998026	0.9999918	539130	80H3345	TERR	47 44 13	142.874	142.903
		N5454525.832			29033	80H3343	TERR	263 35 05	117.261	117.284
		El 67.809								
539130	80H3345	E 369122.281	0.9998014	0.9999910	393801	80H3352	TERR	1 24 03	240.587	240.634
		N5454621.921			279133	80H3346	TERR	91 27 44	82.802	82.819
		El 72.812			296244	80H3335	TERR	186 58 39	183.917	183.953
					657023	80H3344	TERR	227 44 13	142.874	142.903
279133	80H3346	E 369205.056	0.9998000	0.9999899	766402	80H3347	TERR	91 14 41	188.270	188.308
		N5454619.808			539130	80H3345	TERR	271 27 44	82.802	82.819
		El 80.216								
766402	80H3347	E 369393.281	0.9997989	0.9999893	632398	80H3351	TERR	4 21 59	223.398	223.443
		N5454615.718			789123	80H3348	TERR	87 23 36	215.369	215.413
		El 83.522			95406	80H3333	TERR	181 26 40	185.957	185.994
					279133	80H3346	TERR	271 14 41	188.270	188.308
789123	80H3348	E 369608.427	0.9997972	0.9999884	385278	80H3350	TERR	5 56 38	200.818	200.858
		N5454625.513			133454	80H3332	TERR	184 49 39	215.860	215.904
		El 89.692			766402	80H3347	TERR	267 23 36	215.369	215.413
871962	80H3349	E 369926.024	0.9997960	0.9999882	385278	80H3350	TERR	271 20 10	296.881	296.942
		N5454818.328			902353	80H3370	TERR	357 18 54	253.686	253.738
		El 91.067								
385278	80H3350	E 369629.223	0.9997985	0.9999897	871962	80H3349	TERR	91 20 10	296.881	296.942
		N5454825.251			789123	80H3348	TERR	185 56 38	200.818	200.858
		El 81.057			632398	80H3351	TERR	273 27 17	219.332	219.376
632398	80H3351	E 369410.290	0.9998002	0.9999907	385278	80H3350	TERR	93 27 17	219.332	219.376
		N5454838.468			766402	80H3347	TERR	184 21 59	223.398	223.443
		El 74.540			393801	80H3352	TERR	274 51 21	283.144	283.200
					687715	80H3368	TERR	355 05 50	241.234	241.282
393801	80H3352	E 369128.162	0.9998016	0.9999912	709212	80H3366	TERR	1 20 33	222.580	222.624
		N5454862.435			632398	80H3351	TERR	94 51 21	283.144	283.200
		El 71.664			539130	80H3345	TERR	181 24 03	240.587	240.634
					560821	80H3353	TERR	266 09 14	201.901	201.941
560821	80H3353	E 368926.716	0.9998019	0.9999909	161778	80H3354	TERR	1 18 34	121.776	121.800
		N5454848.892			393801	80H3352	TERR	86 09 14	201.901	201.941
		El 73.761			29157	80H3512	TERR	181 22 44	113.206	113.229

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
161778	80H3354	E 368929.498 N5454970.636 El 71.466	0.9998023	0.9999912	972687 560821	80H3364 80H3353	TERR TERR	1 22 46 181 18 34	118.898 121.776	118.921 121.800
712984	80H3355	E 368715.903 N5454821.899 El 56.911	0.9998052	0.9999935	281568 743401 22855	80H3356 80H3341 80H3357	TERR TERR TERR	1 18 16 184 09 20 270 00 47	141.234 190.444 320.180	141.262 190.481 320.242
281568	80H3356	E 368719.118 N5454963.097 El 59.088	0.9998049	0.9999932	712984 621060	80H3355 80H3362	TERR TERR	181 18 16 358 10 29	141.234 158.798	141.262 158.829
22855	80H3357	E 368395.723 N5454821.972 El 46.775	0.9998079	0.9999951	260950 712984 235986	80H3361 80H3355 80H3358	TERR TERR TERR	1 16 29 90 00 47 273 34 55	308.257 320.180 191.334	308.316 320.242 191.371
235986	80H3358	E 368204.762 N5454833.926 El 35.938	0.9998102	0.9999968	946624 22855	80H3359 80H3357	TERR TERR	4 14 58 93 34 55	149.941 191.334	149.970 191.371
946624	80H3359	E 368215.873 N5454983.455 El 28.606	0.9998113	0.9999979	126052 235986	80H3360 80H3358	TERR TERR	1 22 21 184 14 58	150.756 149.941	150.784 149.970
126052	80H3360	E 368219.484 N5455134.168 El 16.734	0.9998131	0.9999998	260950 946624 538033	80H3361 80H3359 90H6198	TERR TERR TERR	91 15 22 181 22 21 271 12 25	183.141 150.756 219.058	183.176 150.784 219.099
260950	80H3361	E 368402.581 N5455130.153 El 31.882	0.9998102	0.9999974	699538 621060 22855 126052	95H2005 80H3362 80H3357 80H3360	TERR TERR TERR TERR	7 10 03 91 32 01 181 16 29 271 15 22	265.228 311.590 308.257 183.141	265.278 311.650 308.316 183.176
621060	80H3362	E 368714.060 N5455121.814 El 52.458	0.9998059	0.9999942	52258 193334 281568 260950	80H3373 80H3363 80H3356 80H3361	TERR TERR TERR TERR	1 21 51 106 55 25 178 10 29 271 32 01	274.885 99.275 158.798 311.590	274.938 99.294 158.829 311.650
193334	80H3363	E 368809.035 N5455092.916 El 61.521	0.9998042	0.9999928	972687 621060	80H3364 80H3362	TERR TERR	91 35 14 286 55 25	123.373 99.275	123.397 99.294
972687	80H3364	E 368932.361 N5455089.499 El 65.586	0.9998032	0.9999921	362046 161778 193334	80H3365 80H3354 80H3363	TERR TERR TERR	73 44 40 181 22 46 271 35 14	88.503 118.898 123.373	88.520 118.921 123.397
362046	80H3365	E 369017.326 N5455114.273 El 65.458	0.9998029	0.9999922	709212 972687	80H3366 80H3364	TERR TERR	104 10 42 253 44 40	119.697 88.503	119.720 88.520

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
709212	80H3366	E 369133.376 N5455084.954 El 63.211	0.9998029	0.9999925	732065	80H3371	TERR	1 15 46	120.686	120.710
					751735	80H3367	TERR	91 25 18	143.146	143.174
					393801	80H3352	TERR	181 20 33	222.580	222.624
					362046	80H3365	TERR	284 10 42	119.697	119.720
751735	80H3367	E 369276.478 N5455081.403 El 63.501	0.9998024	0.9999925	687715	80H3368	TERR	91 18 28	113.223	113.246
					709212	80H3366	TERR	271 25 18	143.146	143.174
687715	80H3368	E 369389.672 N5455078.819 El 66.274	0.9998016	0.9999920	203950	80H3369	TERR	91 05 07	264.670	264.723
					632398	80H3351	TERR	175 05 50	241.234	241.282
					751735	80H3367	TERR	271 18 28	113.223	113.246
203950	80H3369	E 369654.295 N5455073.805 El 68.933	0.9998003	0.9999916	902353	80H3370	TERR	90 27 23	259.854	259.906
					687715	80H3368	TERR	271 05 07	264.670	264.723
902353	80H3370	E 369914.140 N5455071.736 El 83.832	0.9997972	0.9999893	871962	80H3349	TERR	177 18 54	253.686	253.738
					203950	80H3369	TERR	270 27 23	259.854	259.906
732065	80H3371	E 369136.036 N5455205.611 El 55.614	0.9998041	0.9999937	709212	80H3366	TERR	181 15 46	120.686	120.710
					517201	91H9823	TERR	351 50 35	120.122	120.146
842377	80H3372	E 369121.139 N5455338.266 El 42.557	0.9998062	0.9999958	MARKER DESTROYED					
52258	80H3373	E 368720.604 N5455396.622 El 33.904	0.9998088	0.9999971	740738	80H3527	GPS	10 17 24	3244.118	3244.745
					577577	80H3429	GPS	27 13 14	1439.895	1440.172
					515775	634	GPS	50 17 46	6290.217	6291.662
					621060	80H3362	TERR	181 21 51	274.885	274.938
					492173	80H3323	GPS	186 12 22	1193.584	1193.813
					691378	27720	GPS	270 52 06	2173.227	2173.631
					735340	80H3374	TERR	270 59 55	192.011	192.047
					577114	80H3509	GPS	324 05 18	3978.504	3979.240
735340	80H3374	E 368528.623 N5455399.969 El 26.184	0.9998106	0.9999983	52258	80H3373	TERR	90 59 55	192.011	192.047
382408	80H3375	E 368435.759 N5455393.153 El 19.631	0.9998120	0.9999993	MARKER DESTROYED					
416438	80H3376	E 368223.077 N5455295.969 El 4.024	0.9998151	1.0000018	MARKER DESTROYED					

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
906925	80H3377	E 368364.812 N5455450.619 El 9.060	0.9998139	1.0000010	143040	80H3378	TERR	36 42 49	126.279	126.303
143040	80H3378	E 368440.304 N5455551.848 El 3.979	0.9998144	1.0000018	36889	80H3379	TERR	1 21 06	194.273	194.309
					699538	95H2005	TERR	181 40 22	158.608	158.638
					906925	80H3377	TERR	216 42 49	126.279	126.303
36889	80H3379	E 368444.886 N5455746.067 El 4.122	0.9998144	1.0000018	39537	80H3394	TERR	1 19 37	176.992	177.024
					143040	80H3378	TERR	181 21 06	194.273	194.309
981316	80H3380	E 369146.494 N5455650.865 El 34.437	0.9998074	0.9999970	404178	80H3390	TERR	1 22 38	111.647	111.669
					722090	80H3381	TERR	93 02 37	100.940	100.960
					517201	91H9823	TERR	184 49 01	327.504	327.567
722090	80H3381	E 369247.292 N5455645.506 El 40.834	0.9998060	0.9999960	981316	80H3380	TERR	273 02 37	100.940	100.960
382226	80H3382	E 369393.379 N5455585.045 El 47.153	0.9998046	0.9999950	683409	80H3388	TERR	359 41 37	300.822	300.881
708164	80H3383	E 369700.652 N5455594.809 El 72.898	0.9997996	0.9999910	119347	80H3384	TERR	358 57 42	110.170	110.192
119347	80H3384	E 369698.656 N5455704.961 El 73.954	0.9997994	0.9999908	708164	80H3383	TERR	178 57 42	110.170	110.192
					3038	80H3387	TERR	358 56 27	188.544	188.582
57893	80H3385	E 369880.565 N5455709.023 El 83.943	0.9997973	0.9999893	670885	80H3386	TERR	358 52 12	168.434	168.468
670885	80H3386	E 369877.243 N5455877.425 El 82.759	0.9997974	0.9999895	918904	80H3404	TERR	8 00 45	157.932	157.964
					57893	80H3385	TERR	178 52 12	168.434	168.468
					3038	80H3387	TERR	275 02 14	182.778	182.815
3038	80H3387	E 369695.171 N5455893.473 El 64.115	0.9998010	0.9999924	670885	80H3386	TERR	95 02 14	182.778	182.815
					119347	80H3384	TERR	178 56 27	188.544	188.582
					683409	80H3388	TERR	268 33 47	303.495	303.555
					445155	80H3403	TERR	352 59 15	169.124	169.157
683409	80H3388	E 369391.771 N5455885.863 El 48.852	0.9998043	0.9999948	3038	80H3387	TERR	88 33 47	303.495	303.555
					382226	80H3382	TERR	179 41 37	300.822	300.881
					663211	80H3389	TERR	270 23 20	239.591	239.638
					254995	80H3402	TERR	357 09 35	177.543	177.578

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Issued: 1998-AUG-06
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing	Distance Metres	Distance Metres
663211	80H3389	E 369152.185 N5455887.489 El 38.131	0.9998068	0.9999964	68340 40417 761965	80H3388 80H3390 80H3391	TERR TERR TERR	90 23 20 181 22 42 271 29 27	239.591 125.045 210.399	239.638 125.069 210.439
404178	80H3390	E 369149.177 N5455762.480 El 37.460	0.9998069	0.9999966	663211 981316	80H3389 80H3380	TERR TERR	1 22 42 181 22 38	125.045 111.647	125.069 111.669
761965	80H3391	E 368941.858 N5455892.962 El 30.819	0.9998086	0.9999976	663211 579250	80H3389 80H3392	TERR TERR	91 29 27 271 21 20	210.399 209.921	210.439 209.961
579250	80H3392	E 368731.996 N5455897.929 El 12.676	0.9998121	1.0000004	388454 761965 393595	80H3397 80H3391 80H3393	TERR TERR TERR	6 37 45 91 21 20 276 45 03	204.226 209.921 184.059	204.264 209.961 184.093
393595	80H3393	E 368549.213 N5455919.565 El 3.519	0.9998141	1.0000019	351239 579250 39537	80H3396 80H3392 80H3394	TERR TERR TERR	1 28 36 96 45 03 271 58 09	185.800 184.059 100.287	185.834 184.093 100.305
39537	80H3394	E 368448.985 N5455923.011 El 3.103	0.9998145	1.0000019	505388 393595 36889	80H3395 80H3393 80H3379	TERR TERR TERR	1 16 12 91 58 09 181 19 37	185.599 100.287 176.992	185.633 100.305 177.024
505388	80H3395	E 368453.099 N5456108.564 El 2.547	0.9998146	1.0000020	400705 351239 39537	80H3415 80H3396 80H3394	TERR TERR TERR	1 23 02 91 51 04 181 16 12	164.999 100.955 185.599	165.030 100.974 185.633
351239	80H3396	E 368554.001 N5456105.303 El 3.052	0.9998142	1.0000019	388454 393595 505388 570200	80H3397 80H3393 80H3395 80H3414	TERR TERR TERR TERR	91 16 58 181 28 36 271 51 04 356 44 06	201.621 185.800 100.955 189.888	201.659 185.834 100.974 189.924
388454	80H3397	E 368755.571 N5456100.789 El 14.161	0.9998118	1.0000002	102947 579250 351239 498121	80H3398 80H3392 80H3396 80H3413	TERR TERR TERR TERR	91 48 37 186 37 45 271 16 58 355 41 10	81.645 204.226 201.621 190.021	81.660 204.264 201.659 190.057
102947	80H3398	E 368837.176 N5456098.210 El 21.350	0.9998104	0.9999991	171330 388454	80H3399 80H3397	TERR TERR	91 13 55 271 48 37	201.816 81.645	201.854 81.660
171330	80H3399	E 369038.945 N5456093.871 El 33.993	0.9998078	0.9999971	102947	80H3398	TERR	271 13 55	201.816	201.854
75309	80H3400	E 369156.988 N5456091.259 El 37.215	0.9998069	0.9999966	MARKER DESTROYED					

DESTROYED

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
962571	80H3401	E 369257.588 N5456086.625 El 43.663	0.9998056	0.9999956	254995	80H3402	TERR	100 35 16	127.557	127.582
254995	80H3402	E 369382.973 N5456063.187 El 47.285	0.9998046	0.9999950	456376	80H3408	TERR	4 51 55	191.731	191.768
					445155	80H3403	TERR	90 21 53	291.556	291.613
					683409	80H3388	TERR	177 09 35	177.543	177.578
					962571	80H3401	TERR	280 35 16	127.557	127.582
445155	80H3403	E 369674.523 N5456061.332 El 52.366	0.9998029	0.9999942	486365	80H3406	TERR	4 45 31	206.382	206.422
					3038	80H3387	TERR	172 59 15	169.124	169.157
					254995	80H3402	TERR	270 21 53	291.556	291.613
918904	80H3404	E 369899.257 N5456033.814 El 76.194	0.9997984	0.9999905	670885	80H3386	TERR	188 00 45	157.932	157.964
					22681	80H3405	TERR	353 47 17	218.601	218.645
22681	80H3405	E 369875.603 N5456251.132 El 58.782	0.9998012	0.9999932	918904	80H3404	TERR	173 47 17	218.601	218.645
					486365	80H3406	TERR	274 55 50	184.642	184.679
486365	80H3406	E 369691.644 N5456267.002 El 48.936	0.9998033	0.9999948	73452	80H3422	TERR	12 44	183.199	183.235
					22681	80H3405	TERR	94 55 50	184.642	184.679
					445155	80H3403	TERR	184 45 31	206.382	206.422
					648980	80H3407	TERR	270 53 39	147.464	147.493
648980	80H3407	E 369544.197 N5456269.303 El 44.097	0.9998046	0.9999955	486365	80H3406	TERR	90 53 39	147.464	147.493
					456376	80H3408	TERR	264 03 45	145.744	145.773
					966333	80H3421	TERR	359 40 07	184.723	184.759
456376	80H3408	E 369399.235 N5456254.227 El 41.051	0.9998055	0.9999960	648980	80H3407	TERR	84 03 45	145.744	145.773
					254995	80H3402	TERR	184 51 55	191.731	191.768
					83543	80H3409	TERR	271 31 42	121.074	121.098
					262519	80H3420	TERR	354 44 01	203.867	203.906
~~83543~~	~~80H3409~~	~~E 369278.204~~ ~~N5456257.456~~ ~~El 39.178~~	~~0.9998062~~	~~0.9999963~~	~~456376~~	~~80H3408~~	~~TERR~~	~~91 31 42~~	~~121.074~~	~~121.098~~ DESTROYED
					~~942946~~	~~80H3410~~	~~TERR~~	~~281 20 28~~	~~117.699~~	~~117.721~~
942946	80H3410	E 369162.803 N5456280.602 El 34.386	0.9998073	0.9999970	83543	80H3409	TERR	101 20 28	117.699	117.721
					978312	80H3411	TERR	270 58 41	202.278	202.317
					645226	80H3419	TERR	355 27 40	183.399	183.434
978312	80H3411	E 368960.555 N5456284.054 El 29.921	0.9998087	0.9999977	598888	80H3412	TERR	1 36 50	88.264	88.281
					942946	80H3410	TERR	90 58 41	202.278	202.317
					498121	80H3413	TERR	271 37 27	219.365	219.406

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
598888	80H3412	E 368963.040 N5456372.283 El 32.876	0.9998082	0.9999973	614677 978312	80H3418 80H3411	TERR TERR	1 40 29 181 36 50	97.074 88.264	97.092 88.281
498121	80H3413	E 368741.278 N5456290.272 El 18.387	0.9998112	0.9999995	978312 388454 570200	80H3411 80H3397 80H3414	TERR TERR TERR	91 37 27 175 41 10 271 20 01	219.365 190.021 198.146	219.406 190.057 198.183
570200	80H3414	E 368543.186 N5456294.883 El 11.440	0.9998129	1.0000006	498121 351239 400705	80H3413 80H3396 80H3415	TERR TERR TERR	91 20 01 176 44 06 256 03 45	198.146 189.888 88.714	198.183 189.924 88.731
400705	80H3415	E 368457.084 N5456273.515 El 3.602	0.9998144	1.0000019	570200 505388 941062	80H3414 80H3395 96H2079	TERR TERR TERR	76 03 45 181 23 02 330 51 36	88.714 164.999 314.217	88.731 165.030 314.276
45385	80H3416	E 368554.188 N5456485.052 El 19.386	0.9998116	0.9999994	711002 886044	80H3433 80H3417	TERR TERR	1 35 33 91 16 59	209.157 191.607	209.196 191.643
886044	80H3417	E 368745.746 N5456480.762 El 26.437	0.9998099	0.9999983	575308 614677 45385	80H3432 80H3418 80H3416	TERR TERR TERR	6 46 29 92 58 36 271 16 59	194.201 220.428 191.607	194.238 220.470 191.643
614677	80H3418	E 368965.877 N5456469.316 El 29.727	0.9998087	0.9999978	645226 598888 886044 989590	80H3419 80H3412 80H3417 80H3431	TERR TERR TERR TERR	91 50 58 181 40 29 272 58 36 358 41 48	182.507 97.074 220.428 208.784	182.542 97.092 220.470 208.824
645226	80H3419	E 369148.290 N5456463.425 El 33.076	0.9998076	0.9999972	444182 262519 942946 614677	80H3430 80H3420 80H3410 80H3418	TERR TERR TERR TERR	1 14 50 91 31 38 175 27 40 271 50 58	210.100 232.315 183.399 182.507	210.140 232.360 183.434 182.542
262519	80H3420	E 369380.523 N5456457.233 El 38.565	0.9998060	0.9999964	966333 456376 645226	80H3421 80H3408 80H3419	TERR TERR TERR	91 07 52 174 44 01 271 31 38	162.638 203.867 232.315	162.669 203.906 232.360
966333	80H3421	E 369543.129 N5456454.023 El 47.495	0.9998040	0.9999950	73452 648980 262519	80H3422 80H3407 80H3420	TERR TERR TERR	91 28 04 179 40 07 271 07 52	149.243 184.723 162.638	149.272 184.759 162.669
73452	80H3422	E 369692.323 N5456450.200 El 49.474	0.9998033	0.9999947	986679 957845 486365 966333	80H3998 80H3423 80H3406 80H3421	TERR TERR TERR TERR	7 33 51 88 30 30 180 12 44 271 28 04	120.880 231.517 183.199 149.243	120.903 231.562 183.235 149.272

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
957845	80H3423	E 369923.761 N5456456.227 El 57.308	0.9998013	0.9999934	827261	80H3424	TERR	43 51 41	119.931	119.955
					73452	80H3422	TERR	268 30 30	231.517	231.562
827261	80H3424	E 370006.863 N5456542.699 El 63.966	0.9998000	0.9999924	445957	80H3426	TERR	47 26 54	143.418	143.447
					957845	80H3423	TERR	223 51 41	119.931	119.955
					986679	80H3998	TERR	275 13 44	299.876	299.936
445957	80H3426	E 370112.514 N5456639.686 El 69.747	0.9997987	0.9999915	827261	80H3424	TERR	227 26 54	143.418	143.447
					656017	80H3427	TERR	277 53 33	200.085	200.125
					126623	80H3442	TERR	359 53 30	207.256	207.298
656017	80H3427	E 369914.325 N5456667.161 El 57.779	0.9998012	0.9999934	445957	80H3426	TERR	97 53 33	200.085	200.125
					350793	80H3428	TERR	266 49 46	241.427	241.475
					765925	80H3441	TERR	359 43 13	183.870	183.906
350793	80H3428	E 369673.267 N5456653.808 El 49.644	0.9998033	0.9999946	656017	80H3427	TERR	86 49 46	241.427	241.475
					986679	80H3998	TERR	157 20 44	90.785	90.803
					577577	80H3429	TERR	274 31 12	294.947	295.005
577577	80H3429	E 369379.237 N5456677.052 El 36.170	0.9998063	0.9999968	469262	80H3439	TERR	19 20	194.388	194.426
					515775	634	GPS	56 46 49	4997.497	4998.652
					270983	73C066	GPS	77 08 23	25034.994	25040.934
					350793	80H3428	TERR	94 31 12	294.947	295.005
					95406	80H3333	GPS	179 45 41	2247.251	2247.695
					52258	80H3373	GPS	207 13 14	1439.895	1440.172
					691378	27720	GPS	246 13 25	3094.230	3094.808
					444182	80H3430	TERR	269 05 42	226.401	226.445
					740738	80H3527	GPS	357 37 45	1913.149	1913.521
444182	80H3430	E 369152.863 N5456673.476 El 30.968	0.9998079	0.9999976	268532	80H3437	TERR	1 27 52	194.164	194.202
					577577	80H3429	TERR	89 05 42	226.401	226.445
					645226	80H3419	TERR	181 14 50	210.100	210.140
					989590	80H3431	TERR	271 21 56	191.789	191.826
989590	80H3431	E 368961.129 N5456678.046 El 27.467	0.9998091	0.9999981	444182	80H3430	TERR	91 21 56	191.789	191.826
					614677	80H3418	TERR	178 41 48	208.784	208.824
					575308	80H3432	TERR	268 40 44	192.524	192.561
					588434	80H3435	TERR	358 44 26	193.729	193.766
575308	80H3432	E 368768.656 N5456673.607 El 16.901	0.9998113	0.9999998	772046	80H3434	TERR	1 26 05	202.273	202.311
					989590	80H3431	TERR	88 40 44	192.524	192.561
					886044	80H3417	TERR	186 46 29	194.201	194.238
					711002	80H3433	TERR	275 37 01	209.663	209.702
711002	80H3433	E 368560.000 N5456694.129 El 12.151	0.9998127	1.0000005	575308	80H3432	TERR	95 37 01	209.663	209.702
					45385	80H3416	TERR	181 35 33	209.157	209.196

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
772046	80H3434	E 368773.721 N5456875.817 El 17.616	0.9998112	0.9999997	349704 588434 575308	80H3447 80H3435 80H3432	TERR TERR TERR	1 33 20 91 16 44 181 26 05	409.071 183.196 202.273	409.148 183.230 202.311
588434	80H3435	E 368956.871 N5456871.728 El 20.810	0.9998101	0.9999992	568675 268532 989590 772046	80H3436 80H3437 80H3431 80H3434	TERR TERR TERR TERR	5 22 34 91 11 00 178 44 26 271 16 44	217.060 200.998 193.729 183.196	217.101 201.036 193.766 183.230
568675	80H3436	E 368977.208 N5457087.833 El 17.472	0.9998106	0.9999997	588434	80H3435	TERR	185 22 34	217.060	217.101
268532	80H3437	E 369157.825 N5456867.576 El 29.690	0.9998081	0.9999978	624668 444182 588434	80H3438 80H3430 80H3435	TERR TERR TERR	1 13 56 181 27 52 271 11 00	188.453 194.164 200.998	188.489 194.202 201.036
624668	80H3438	E 369161.878 N5457055.986 El 27.563	0.9998084	0.9999981	941385 268532	80H3449 80H3437	TERR TERR	1 23 21 181 13 56	194.721 188.453	194.758 188.489
469262	80H3439	E 369380.330 N5456871.437 El 35.350	0.9998065	0.9999969	868588 577577	80H3440 80H3429	TERR TERR	91 08 19 180 19 20	267.318 194.388	267.370 194.426
868588	80H3440	E 369647.595 N5456866.125 El 42.222	0.9998045	0.9999958	765925 469262	80H3441 80H3439	TERR TERR	93 15 02 271 08 19	266.260 267.318	266.312 267.370
765925	80H3441	E 369913.427 N5456851.028 El 53.814	0.9998019	0.9999940	126623 656017 868588	80H3442 80H3427 80H3440	TERR TERR TERR	91 10 41 179 43 13 273 15 02	198.737 183.870 266.260	198.777 183.906 266.312
126623	80H3442	E 370112.122 N5456846.942 El 68.026	0.9997990	0.9999918	445957 765925	80H3426 80H3441	TERR TERR	179 53 30 271 10 41	207.256 198.737	207.298 198.777
649178	80H3443	E 368299.743 N5456556.334 El 4.260	0.9998148	1.0000018	MARKER DESTROYED					
329458	80H3445	E 368494.726 N5457301.396 El 5.933	0.9998139	1.0000015	597096 866608 46797	80H3999 87H3402 80H3460	TERR TERR TERR	191 18 43 291 48 44 332 44 53	300.743 94.074 235.274	300.798 94.091 235.318
735142	80H3446	E 368650.880 N5457319.269 El 11.746	0.9998125	1.0000006	349704	80H3447	TERR	104 27 23	138.326	138.351

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
349704	80H3447	E 368784.826 N5457284.737 El 13.363	0.9998118	1.0000003	986752 772046 735142	80H3448 80H3434 80H3446	TERR TERR TERR	97 44 59 181 33 20 284 27 23	212.728 409.071 138.326	212.769 409.148 138.351
986752	80H3448	E 368995.612 N5457256.051 El 20.299	0.9998101	0.9999992	402990 941385 349704	80H3457 80H3449 80H3447	TERR TERR TERR	5 06 06 91 48 34 277 44 59	124.437 171.073 212.728	124.460 171.105 212.769
941385	80H3449	E 369166.599 N5457250.650 El 31.147	0.9998078	0.9999975	797621 624668 986752	80H3452 80H3438 80H3448	TERR TERR TERR	8 41 14 181 23 21 271 48 34	137.459 194.721 171.073	137.486 194.758 171.105
698910	80H3450	E 369381.542 N5457242.625 El 39.292	0.9998058	0.9999963	919829	80H3451	TERR	359 45 08	138.898	138.925
919829	80H3451	E 369380.942 N5457381.522 El 43.453	0.9998052	0.9999956	698910 797621	80H3450 80H3452	TERR TERR	179 45 08 271 28 57	138.898 193.646	138.925 193.683
797621	80H3452	E 369187.361 N5457386.532 El 35.735	0.9998070	0.9999968	465864 919829 941385	80H3453 80H3451 80H3449	TERR TERR TERR	1 26 57 91 28 57 188 41 14	156.508 193.646 137.459	156.539 193.683 137.486
465864	80H3453	E 369191.319 N5457542.990 El 35.247	0.9998071	0.9999969	797621 364547 110221	80H3452 80H3456 80H3454	TERR TERR TERR	181 26 57 271 22 27 353 42 25	156.508 180.799 132.649	156.539 180.834 132.675
110221	80H3454	E 369176.779 N5457674.840 El 37.163	0.9998068	0.9999966	465864 643676	80H3453 80H3455	TERR TERR	173 42 25 271 24 20	132.649 162.788	132.675 162.819
643676	80H3455	E 369014.040 N5457678.833 El 33.680	0.9998079	0.9999971	110221 364547	80H3454 80H3456	TERR TERR	91 24 20 181 30 38	162.788 131.553	162.819 131.578
364547	80H3456	E 369010.572 N5457547.326 El 29.576	0.9998086	0.9999978	643676 465864 402990	80H3455 80H3453 80H3457	TERR TERR TERR	1 30 38 91 22 27 181 20 01	131.553 180.799 167.376	131.578 180.834 167.408
402990	80H3457	E 369006.677 N5457379.995 El 25.031	0.9998093	0.9999985	364547 986752	80H3456 80H3448	TERR TERR	1 20 01 185 06 06	167.376 124.437	167.408 124.460
230508	80H3458	E 368365.011 N5457332.999 El 5.467	0.9998144	1.0000016	MARKER DESTROYED					

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
603019	80H3459	E 368210.578 N5457320.197 El 4.823	0.9998150	1.0000017		MARKER DESTROYED				
46797	80H3460	E 368386.993 N5457510.556 El 5.341	0.9998144	1.0000016	385583 329458 953745	80H3461 80H3445 80H3465	TERR TERR TERR	58 28 42 152 44 53 322 31 31	201.571 235.274 152.411	201.608 235.318 152.439
385583	80H3461	E 368558.820 N5457615.941 El 8.046	0.9998134	1.0000012	46797 709311	80H3460 80H3464	TERR TERR	238 28 42 334 41 19	201.571 136.501	201.608 136.527
380733	80H3462	E 368667.763 N5457840.871 El 20.304	0.9998111	0.9999992	425678 866822	80H3463 80H3469	TERR TERR	259 14 36 340 55 39	90.747 161.899	90.764 161.929
~~425678~~	~~80H3463~~	~~E 368578.611~~ ~~N5457823.934~~ ~~El 8.718~~	~~0.9998132~~	~~1.0000011~~	~~380733~~ ~~709311~~	~~80H3462~~ ~~80H3464~~	~~TERR~~ ~~TERR~~	~~79 14 36~~ ~~222 43 55~~	~~90.747~~ ~~115.169~~	~~90.764~~ ~~115.190~~
709311	80H3464	E 368500.461 N5457739.338 El 7.415	0.9998137	1.0000013	425678 385583 953745 647800	80H3463 80H3461 80H3465 80H3468	TERR TERR TERR TERR	42 43 55 154 41 19 242 23 37 326 14 41	115.169 136.501 232.687 143.564	115.190 136.527 232.731 143.591
953745	80H3465	E 368294.264 N5457631.512 El 5.564	0.9998146	1.0000015	709311 46797 931105 829523	80H3464 80H3460 80H3466 80H3467	TERR TERR TERR TERR	62 23 37 142 31 31 240 43 44 330 34 60	232.687 152.411 214.246 136.836	232.731 152.439 214.286 136.861
931105	80H3466	E 368107.374 N5457526.758 El 4.031	0.9998155	1.0000018	953745 722306 775544	80H3465 87H3401 80H3473	TERR TERR TERR	60 43 44 151 06 01 334 06 21	214.246 228.001 196.995	214.286 228.044 197.031
~~829523~~	~~80H3467~~	~~E 368227.056~~ ~~N5457750.706~~ ~~El 5.682~~	~~0.9998148~~	~~1.0000015~~	~~647800~~ ~~953745~~ ~~476127~~	~~80H3468~~ ~~80H3465~~ ~~80H3471~~	~~TERR~~ ~~TERR~~ ~~TERR~~	~~60 51 02~~ ~~150 34 60~~ ~~336 29 27~~	~~221.713~~ ~~136.836~~ ~~197.955~~	~~221.754~~ ~~136.861~~ ~~197.995~~
647800	80H3468	E 368420.690 N5457858.700 El 7.733	0.9998139	1.0000012	866822 709311 829523 681437	80H3469 80H3464 80H3467 80H3470	TERR TERR TERR TERR	55 09 15 146 14 41 240 51 02 335 56 09	236.594 143.564 221.713 197.842	236.638 143.591 221.754 197.879
866822	80H3469	E 368614.861 N5457993.882 El 17.662	0.9998117	0.9999997	545228 380733 647800 539239	80H3513 80H3462 80H3468 80H3478	TERR TERR TERR TERR	60 49 24 160 55 39 235 09 15 340 13 52	247.485 161.899 236.594 142.113	247.532 161.929 236.638 142.140

REMOVED 2005

REMOVED.

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
681437	80H3470	E 368340.018	0.9998143	1.0000014	713446	LEGAL 2	TERR	60 58 35	91.694	91.711
		N5458039.347			647800	80H3468	TERR	155 56 09	197.842	197.879
		El 6.741			476127	80H3471	TERR	240 50 03	219.794	219.835
476127	80H3471	E 368148.091	0.9998153	1.0000018	681437	80H3470	TERR	60 50 03	219.794	219.835
		N5457932.233			829523	80H3467	TERR	156 29 27	197.959	197.995
		El 4.041			476994	80H3472	TERR	237 36 06	170.201	170.232
					324244	80H3475	TERR	330 00 36	221.545	221.586
476994	80H3472	E 368004.383	0.9998159	1.0000019	476127	80H3471	TERR	57 36 06	170.201	170.232
		N5457841.040			775544	80H3473	TERR	172 56 45	138.109	138.135
		El 3.354								
775544	80H3473	E 368021.344	0.9998157	1.0000017	931105	80H3466	TERR	154 06 21	196.995	197.031
		N5457703.976			126821	80H3498	TERR	312 40 28	285.849	285.902
		El 4.468			476994	80H3472	TERR	352 56 45	138.109	138.135
71597	80H3474	E 367947.600	0.9998162	1.0000020	958488	80H3482	TERR	19 40	239.887	239.931
		N5458120.111			324244	80H3475	TERR	87 26 41	89.842	89.858
		El 2.842								
324244	80H3475	E 368037.352	0.9998158	1.0000019	515619	80H3481	TERR	2 26 03	234.051	234.094
		N5458124.116			541532	80H3476	TERR	90 59 19	209.243	209.281
		El 3.403			476127	80H3471	TERR	150 00 36	221.545	221.586
					71597	80H3474	TERR	267 26 41	89.842	89.858
541532	80H3476	E 368246.564	0.9998149	1.0000016	992859	80H3480	TERR	2 08 18	233.943	233.986
		N5458120.506			959494	80H3477	TERR	93 06 10	188.173	188.208
		El 4.966			324244	80H3475	TERR	270 59 19	209.243	209.281
959494	80H3477	E 368434.461	0.9998134	1.0000008	539239	80H3478	TERR	82 33 08	133.459	133.484
		N5458110.321			713446	LEGAL 2	TERR	208 18 16	30.083	30.089
		El 10.289			541532	80H3476	TERR	273 06 10	188.173	188.208
					635821	80H3479	TERR	357 51 51	247.293	247.339
539239	80H3478	E 368566.794	0.9998126	1.0000004	866822	80H3469	TERR	160 13 52	142.113	142.140
		N5458127.620			959494	80H3477	TERR	262 33 08	133.459	133.484
		El 13.042								
635821	80H3479	E 368425.245	0.9998127	1.0000000	959494	80H3477	TERR	177 51 51	247.293	247.339
		N5458357.442			992859	80H3480	TERR	268 56 11	169.981	170.013
		El 15.409								
992859	80H3480	E 368255.293	0.9998146	1.0000014	635821	80H3479	TERR	88 56 11	169.981	170.013
		N5458354.286			541532	80H3476	TERR	182 08 18	233.943	233.986
		El 6.562			515619	80H3481	TERR	271 00 39	208.033	208.071

DESTROYED

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
515619	80H3481	E 368047.293 N5458357.956 El 2.844	0.9998159	1.0000020	281675	80H3484	TERR	6 35 03	201.054	201.091
					992859	80H3480	TERR	91 00 39	208.033	208.071
					324244	80H3475	TERR	182 26 03	234.051	234.094
					958488	80H3482	TERR	271 11 14	98.342	98.360
958488	80H3482	E 367948.972 N5458359.994 El 2.577	0.9998162	1.0000020	392266	80H3483	TERR	1 47 31	199.483	199.519
					515619	80H3481	TERR	91 11 14	98.342	98.360
					71597	80H3474	TERR	180 19 40	239.887	239.931
392266	80H3483	E 367955.210 N5458559.379 El 3.035	0.9998161	1.0000019	281675	80H3484	TERR	90 50 36	115.148	115.170
					958488	80H3482	TERR	181 47 31	199.483	199.519
281675	80H3484	E 368070.346 N5458557.684 El 3.354	0.9998157	1.0000019	348698	80H3489	TERR	1 35 07	277.693	277.745
					39297	80H3485	TERR	91 01 29	236.404	236.448
					515619	80H3481	TERR	186 35 03	201.054	201.091
					392266	80H3483	TERR	270 50 36	115.148	115.170
39297	80H3485	E 368306.712 N5458553.456 El 11.550	0.9998137	1.0000006	783217	80H3486	TERR	93 20 18	132.516	132.541
					281675	80H3484	TERR	271 01 29	236.404	236.448
783217	80H3486	E 368439.003 N5458545.739 El 20.026	0.9998119	0.9999993	34496	80H3487	TERR	98 52 21	108.285	108.305
					39297	80H3485	TERR	273 20 18	132.516	132.541
34496	80H3487	E 368545.992 N5458529.038 El 26.297	0.9998106	0.9999983	131748	80H3488	TERR	68 42 17	119.871	119.893
					783217	80H3486	TERR	278 52 21	108.285	108.305
131748	80H3488	E 368657.678 N5458572.572 El 28.201	0.9998099	0.9999980	34496	80H3487	TERR	248 42 17	119.871	119.893
348698	80H3489	E 368078.029 N5458835.271 El 7.870	0.9998150	1.0000012	281675	80H3484	TERR	181 35 07	277.693	277.745
					902130	80H3492	TERR	358 55 49	141.140	141.166
477778	80H3490	E 368331.481 N5458973.868 El 34.272	0.9998100	0.9999970	902130	80H3492	TERR	270 33 48	256.100	256.148
760942	80H3491	E 367699.873 N5458985.635 El 5.859	0.9998165	1.0000015	902130	80H3492	TERR	91 24 39	375.635	375.704
					297788	80H3493	TERR	273 04 13	288.662	288.715
902130	80H3492	E 368075.394 N5458976.386 El 13.159	0.9998141	1.0000004	477778	80H3490	TERR	90 33 48	256.100	256.148
					348698	80H3489	TERR	178 55 49	141.140	141.166
					760942	80H3491	TERR	271 24 39	375.635	375.704

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
297788	80H3493	E 367411.626 N5459001.096 El 4.647	0.9998176	1.0000017	760942 353250	80H3491 90H6219	TERR TERR	93 04 13 273 52 19	288.662 241.534	288.715 241.578
587295	80H3494	E 367406.090 N5458706.586 El 6.988	0.9998173	1.0000013	590596	80H3495	TERR	184 15 56	184.370	184.404
590596	80H3495	E 367392.376 N5458522.726 El 2.758	0.9998180	1.0000020	587295 588749	80H3494 80H3496	TERR TERR	4 15 56 145 36 21	184.370 478.412	184.404 478.499
588749	80H3496	E 367662.623 N5458127.955 El 2.258	0.9998172	1.0000021	126821 135541 590596	80H3498 80H3497 80H3495	TERR TERR TERR	147 09 58 272 11 06 325 36 21	273.993 157.092 478.412	274.043 157.121 478.499
135541	80H3497	E 367505.645 N5458133.944 El 1.230	0.9998179	1.0000022	588749 544726	80H3496 80H3499	TERR TERR	92 11 06 183 13 11	157.092 178.702	157.121 178.735
126821	80H3498	E 367811.183 N5457897.733 El 3.852	0.9998165	1.0000018	775544 544726 588749	80H3473 80H3499 80H3496	TERR TERR TERR	132 40 28 280 22 39 327 09 58	285.849 320.822 273.993	285.902 320.881 274.043
544726	80H3499	E 367495.608 N5457955.524 El 3.785	0.9998175	1.0000018	135541 126821 776468	80H3497 80H3498 80H3500	TERR TERR TERR	3 13 11 100 22 39 291 12 46	178.702 320.822 211.477	178.735 320.881 211.515
776468	80H3500	E 367298.461 N5458032.043 El 3.845	0.9998181	1.0000018	544726 48538	80H3499 80H3501	TERR TERR	111 12 46 280 33 17	211.477 336.691	211.515 336.752
48538	80H3501	E 366967.466 N5458093.716 El 3.778	0.9998192	1.0000018	25346 776468 789347	80H3502 80H3500 80H3505	TERR TERR TERR	1 57 59 100 33 17 292 10 21	293.294 336.691 216.238	293.347 336.752 216.277
25346	80H3502	E 366977.530 N5458386.838 El 2.578	0.9998194	1.0000020	182493 48538	80H3503 80H3501	TERR TERR	2 35 35 181 57 59	334.721 293.294	334.782 293.347
182493	80H3503	E 366992.673 N5458721.216 El 10.102	0.9998182	1.0000008	461889 25346	80H3504 80H3502	TERR TERR	3 28 58 182 35 35	214.155 334.721	214.194 334.782
461889	80H3504	E 367005.683 N5458934.976 El 11.131	0.9998179	1.0000007	353250 182493	90H6219 80H3503	TERR TERR	63 26 56 183 28 58	184.409 214.155	184.443 214.194

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
789347	80H3505	E 366767.219	0.9998199	1.0000018	48538	80H3501	TERR	112 10 21	216.238	216.277
		N5458175.324			954016	80H3506	TERR	285 22 28	183.568	183.601
		El 3.886								
954016	80H3506	E 366590.220	0.9998204	1.0000018	490938	80H3507	TERR	1 41 47	391.452	391.522
		N5458223.993			789347	80H3505	TERR	105 22 28	183.568	183.601
		El 3.989			983221	80H3508	TERR	298 35 52	272.825	272.874
490938	80H3507	E 366601.809	0.9998206	1.0000020	954016	80H3506	TERR	181 41 47	391.452	391.522
		N5458615.273			577114	80H3509	TERR	270 58 08	214.770	214.808
		El 2.763								
983221	80H3508	E 366350.678	0.9998212	1.0000018	954016	80H3506	TERR	118 35 52	272.825	272.874
		N5458354.583			842104	80H3510	TERR	306 09 06	212.581	212.619
		El 3.893								
577114	80H3509	E 366387.070	0.9998213	1.0000020	41483	11706	GPS	67 31 51	14787.726	14791.546
		N5458618.905			740738	80H3527	GPS	90 35 48	2913.186	2913.731
		El 2.908			490938	80H3507	TERR	90 58 08	214.770	214.808
					52258	80H3373	GPS	144 05 18	3978.504	3979.240
					95406	80H3333	GPS	144 22 41	5153.405	5154.384
					492173	80H3323	GPS	153 26 03	4929.297	4930.212
					257287	80H3511	TERR	271 01 45	204.609	204.646
					518878	27718	GPS	341 21 47	17694.103	17699.250
842104	80H3510	E 366179.028	0.9998218	1.0000018	257287	80H3511	TERR	1 23 32	142.633	142.658
		N5458479.989			983221	80H3508	TERR	126 09 06	212.581	212.619
		El 3.780			19828	90H6205	TERR	312 06 23	251.479	251.524
257287	80H3511	E 366182.493	0.9998218	1.0000018	260752	90H6215	TERR	1 48 34	271.335	271.383
		N5458622.580			577114	80H3509	TERR	91 01 45	204.609	204.646
		El 3.632			842104	80H3510	TERR	181 23 32	142.633	142.658
29157	80H3512	E 368923.991	0.9998022	0.9999911	560821	80H3353	TERR	1 22 44	113.206	113.229
		N5454735.719			29033	80H3343	TERR	186 08 11	224.273	224.318
		El 72.101								
545228	80H3513	E 368830.945	0.9998083	0.9999970	925669	80H3514	TERR	61 07 52	117.959	117.982
		N5458114.532			866822	80H3469	TERR	240 49 24	247.485	247.532
		El 34.835								
925669	80H3514	E 368934.245	0.9998071	0.9999960	855411	80H3515	TERR	66 33 56	153.076	153.105
		N5458171.484			545228	80H3513	TERR	241 07 52	117.959	117.982
		El 40.687								
855411	80H3515	E 369074.694	0.9998060	0.9999955	177378	80H3516	TERR	7 34 58	176.772	176.807
		N5458232.362			290080	80H3528	TERR	68 32 31	211.783	211.824
		El 44.419			925669	80H3514	TERR	246 33 56	153.076	153.105

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing	Distance Metres	Distance Metres
177378	80H3516	E 369098.020 N5458407.588 El 43.731	0.9998061	0.9999956	422105 855411 37853	80H3520 80H3515 80H3517	TERR TERR TERR	3 15 45 187 34 58 271 35 55	194.195 176.772 182.910	194.233 176.807 182.945
37853	80H3517	E 368915.182 N5458412.691 El 35.709	0.9998079	0.9999968	177378	80H3516	TERR	91 35 55	182.910	182.945
46722	80H3518	E 368726.551 N5458360.426 El 30.602	0.9998093	0.9999976	494401	80H3519	TERR	2 59 03	160.223	160.253
494401	80H3519	E 368734.892 N5458520.431 El 30.388	0.9998093	0.9999977	501940 46722	91H9822 80H3518	TERR TERR	3 02 38 182 59 03	172.391 160.223	172.424 160.253
422105	80H3520	E 369109.072 N5458601.469 El 45.114	0.9998058	0.9999953	149948 740738 177378	80H3524 80H3527 80H3516	TERR TERR TERR	2 22 28 93 51 54 183 15 45	178.762 191.461 194.195	178.797 191.498 194.233
53728	80H3521	E 369938.529 N5459030.131 El 63.894	0.9998002	0.9999924	608901 285742	80H3545 80H3546	TERR TERR	20 48 59 194 15 08	88.707 173.879	88.724 173.914
661868	80H3522	E 368928.186 N5458692.247 El 40.783	0.9998071	0.9999960	862862 501940	80H3523 91H9822	TERR TERR	2 43 09 270 06 12	97.149 184.140	97.168 184.175
862862	80H3523	E 368932.794 N5458789.287 El 43.945	0.9998066	0.9999955	149948 661868	80H3524 80H3522	TERR TERR	92 52 13 182 43 09	183.915 97.149	183.950 97.168
149948	80H3524	E 369116.478 N5458780.077 El 46.284	0.9998056	0.9999952	374314 949461 422105 862862	90H6193 80H3525 80H3520 80H3523	TERR TERR TERR TERR	56 09 1 07 13 182 22 28 272 52 13	188.424 183.698 178.762 183.915	188.461 183.733 178.797 183.950
949461	80H3525	E 369120.070 N5458963.740 El 46.103	0.9998056	0.9999952	128124 149948	80H3526 80H3524	TERR TERR	91 51 39 181 07 13	145.185 183.698	145.214 183.733
128124	80H3526	E 369265.178 N5458959.025 El 46.977	0.9998050	0.9999951	128322 949461	80H3532 80H3525	TERR TERR	91 25 44 271 51 39	227.921 145.185	227.966 145.214

Integrated Survey Area No. 37 City of Port Alberni
Order in Council No. 1684/85
Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 1998-AUG-06

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing	Distance Metres	Distance Metres
740738	80H3527	E 369300.097 N5458588.563 El 49.352	0.9998045	0.9999947	41483	11706	GPS	62 08 44	12161.112	12164.354
					270983	73C066	GPS	81 29 50	24758.264	24764.161
					192963	80H3530	TERR	93 50 06	175.741	175.776
					577577	80H3429	GPS	177 37 45	1913.149	1913.521
					95406	80H3333	GPS	178 46 51	4159.684	4160.509
					492173	80H3323	GPS	189 11 31	4435.486	4436.346
					52258	80H3373	GPS	190 17 24	3244.118	3244.745
					577114	80H3509	GPS	270 35 48	2913.186	2913.731
					422105	80H3520	TERR	273 51 54	191.461	191.498
					518878	27718	GPS	332 58 30	18855.473	18861.116
290080	80H3528	E 369271.797 N5458309.836 El 46.362	0.9998051	0.9999952	679209	93H1013	TERR	68 15 06	192.825	192.862
					855411	80H3515	TERR	248 32 31	211.783	211.824
68601	80H3529	E 369460.030 N5458384.556 El 52.231	0.9998036	0.9999942	MARKER DESTROYED					
192963	80H3530	E 369475.445 N5458576.809 El 54.133	0.9998032	0.9999939	212167	80H3531	TERR	2 46 59	200.644	200.683
					679209	93H1013	TERR	187 09 22	197.061	197.100
					740738	80H3527	TERR	273 50 06	175.741	175.776
212167	80H3531	E 369485.188 N5458777.216 El 50.272	0.9998038	0.9999945	128322	80H3532	TERR	2 32 57	176.300	176.335
					192963	80H3530	TERR	182 46 59	200.644	200.683
128322	80H3532	E 369493.029 N5458953.342 El 50.270	0.9998038	0.9999945	729343	80H3533	TERR	5 45 07	173.222	173.256
					212167	80H3531	TERR	182 32 57	176.300	176.335
					355818	90H6192	TERR	269 53 55	226.674	226.718
					128124	80H3526	TERR	271 25 44	227.921	227.966
729343	80H3533	E 369510.390 N5459125.692 El 55.299	0.9998029	0.9999938	499442	90H6197	TERR	1 45 04	208.868	208.910
					443226	80H3534	TERR	91 36 14	162.580	162.613
					128322	80H3532	TERR	185 45 07	173.222	173.256
443226	80H3534	E 369672.907 N5459121.141 El 59.832	0.9998017	0.9999930	203935	80H3535	TERR	177 49 42	262.368	262.420
					729343	80H3533	TERR	271 36 14	162.580	162.613
203935	80H3535	E 369682.849 N5458858.962 El 55.053	0.9998024	0.9999938	285742	80H3546	TERR	89 17 20	212.889	212.931
					835785	80H3536	TERR	185 10 47	186.430	186.467
					443226	80H3534	TERR	357 49 42	262.368	262.420
835785	80H3536	E 369666.018 N5458673.294 El 56.393	0.9998023	0.9999936	203935	80H3535	TERR	5 10 47	186.430	186.467
					130120	93H1014	TERR	177 06 32	225.336	225.381

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing	Distance Metres	Distance Metres
898825	80H3537	E 369670.260 N5458463.644 El 61.366	0.9998015	0.9999928		MARKER DESTROYED				
309088	80H3538	E 369883.245 N5458546.687 El 62.587	0.9998006	0.9999926	402396	80H3541	TERR	24 25 09	233.349	233.396
737320	80H3539	E 370064.260 N5458560.809 El 62.027	0.9998001	0.9999927		MARKER DESTROYED				
175844	80H3540	E 370229.669 N5458557.680 El 60.997	0.9997997	0.9999929		MARKER DESTROYED				
402396	80H3541	E 369979.713 N5458759.162 El 71.554	0.9997989	0.9999912	213629 309088 637447	80H3542 80H3538 93H1015	TERR TERR TERR	15 08 00 204 25 09 206 11 19	142.121 233.349 234.534	142.149 233.396 234.581
213629	80H3542	E 370016.817 N5458896.354 El 69.095	0.9997991	0.9999916	35568 402396	80H3543 80H3541	TERR TERR	24 06 31 195 08 00	105.338 142.121	105.359 142.149
35568	80H3543	E 370059.844 N5458992.504 El 69.500	0.9997989	0.9999915	456293 213629	80H3544 80H3542	TERR TERR	4 51 33 204 06 31	117.723 105.338	117.747 105.359
456293	80H3544	E 370069.816 N5459109.804 El 64.338	0.9997997	0.9999923	35568 608901	80H3543 80H3545	TERR TERR	184 51 33 271 51 44	117.723 99.816	117.747 99.836
608901	80H3545	E 369970.053 N5459113.047 El 63.527	0.9998002	0.9999925	456293 53728	80H3544 80H3521	TERR TERR	91 51 44 200 48 59	99.816 88.707	99.836 88.724
285742	80H3546	E 369895.721 N5458861.604 El 59.360	0.9998011	0.9999931	53728 203935	80H3521 80H3535	TERR TERR	14 15 08 269 17 20	173.879 212.889	173.914 212.931
986679	80H3998	E 369708.234 N5456570.028 El 52.103	0.9998028	0.9999943	827261 73452 350793	80H3424 80H3422 80H3428	TERR TERR TERR	95 13 44 187 33 51 337 20 44	299.876 120.880 90.785	299.936 120.903 90.803
597096	80H3999	E 368435.735 N5457006.496 El 5.410	0.9998142	1.0000016	329458 542449	80H3445 96H2080	TERR TERR	11 18 43 196 50 45	300.743 334.244	300.798 334.306

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
887976	80H4000	E 368745.323 N5458694.422 El 33.138	0.9998089	0.9999972		MARKER DESTROYED				
462325	80H8340	E 368619.657 N5454652.296 El 45.988	0.9998073	0.9999952	743401 76893 196030	80H3341 91H9824 87H2624	TERR TERR TERR	103 51 32 185 25 50 270 50 11	84.918 249.160 199.298	84.935 249.208 199.337
196030	87H2624	E 368420.379 N5454655.205 El 42.681	0.9998084	0.9999957	462325 766758 94268	80H8340 90H6220 80H3338	TERR TERR TERR	90 50 11 186 32 22 186 54 51	199.298 316.935 302.927	199.337 316.996 302.985
722306	87H3401	E 368217.561 N5457327.151 El 5.186	0.9998149	1.0000016	866608 931105	87H3402 80H3466	TERR TERR	87 13 30 331 06 01	190.049 228.001	190.084 228.044
866608	87H3402	E 368407.387 N5457336.351 El 6.213	0.9998142	1.0000014	329458 722306	80H3445 87H3401	TERR TERR	111 48 44 267 13 30	94.074 190.049	94.091 190.084
355818	90H6192	E 369266.355 N5458952.941 El 47.050	0.9998050	0.9999950	476317 128322 374314	90H6195 80H3532 90H6193	TERR TERR TERR	1 30 14 89 53 55 276 02 28	195.433 226.674 147.620	195.472 226.718 147.648
374314	90H6193	E 369119.555 N5458968.476 El 46.215	0.9998056	0.9999952	355818 149948	90H6192 80H3524	TERR TERR	96 02 28 180 56 09	147.620 188.424	147.648 188.461
379297	90H6194	E 369060.779 N5459150.751 El 48.367	0.9998055	0.9999948	476317	90H6195	TERR	90 39 53	210.720	210.761
476317	90H6195	E 369271.484 N5459148.307 El 51.758	0.9998042	0.9999943	479857 355818 379297	90H6196 90H6192 90H6194	TERR TERR TERR	1 41 52 181 30 14 270 39 53	190.425 195.433 210.720	190.463 195.472 210.761
479857	90H6196	E 369277.126 N5459338.648 El 56.048	0.9998036	0.9999936	499442 476317	90H6197 90H6195	TERR TERR	91 00 02 181 41 52	239.683 190.425	239.730 190.463
499442	90H6197	E 369516.773 N5459334.463 El 60.263	0.9998021	0.9999930	729343 479857	80H3533 90H6196	TERR TERR	181 45 04 271 00 02	208.868 239.683	208.910 239.730
538033	* 90H6198	E 368000.474 N5455138.782 El 3.590	0.9998159	1.0000019	126052 578872	80H3360 90H6199	TERR TERR	91 12 25 195 23 45	219.058 132.024	219.099 132.048

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing	Distance Metres	Distance Metres
578872	90H6199	E 367965.424 N5455011.495 El 4.304	0.9998159	1.0000017	538033 652669	90H6198 90H6200	TERR TERR	15 23 45 151 47 55	132.024 289.671	132.048 289.724
652669	90H6200	E 368102.314 N5454756.211 El 4.264	0.9998155	1.0000018	664979 578872	90H6201 90H6199	TERR TERR	159 45 35 331 47 55	191.897 289.671	191.932 289.724
664979	90H6201	E 368168.703 N5454576.164 El 5.017	0.9998151	1.0000016	683144 652669	90H6202 90H6200	TERR TERR	193 43 20 339 45 35	371.735 191.897	371.803 191.932
683144	90H6202	E 368080.522 N5454215.039 El 4.689	0.9998155	1.0000017	664979 742924	90H6201 90H6203	TERR TERR	13 43 20 91 26 20	371.735 107.322	371.803 107.342
742924	90H6203	E 368187.810 N5454212.344 El 16.734	0.9998132	0.9999998	752659 683144	90H6204 90H6202	TERR TERR	91 59 10 271 26 20	101.493 107.322	101.513 107.342
752659	90H6204	E 368289.243 N5454208.827 El 25.316	0.9998116	0.9999985	149971 742924	80H3322 90H6203	TERR TERR	91 20 30 271 59 10	90.981 101.493	90.998 101.513
19828	90H6205	E 365992.456 N5458648.608 El 4.032	0.9998224	1.0000018	842104 31914	80H3510 90H6206	TERR TERR	132 06 23 320 45 12	251.479 194.090	251.524 194.125
31914	90H6206	E 365869.662 N5458798.917 El 4.303	0.9998227	1.0000017	19828 97428	90H6205 90H6207	TERR TERR	140 45 12 303 03 16	194.090 159.462	194.125 159.490
97428	90H6207	E 365736.009 N5458885.893 El 4.298	0.9998232	1.0000017	31914 120881 375741	90H6206 90H6208 94H1626	TERR TERR TERR	123 03 16 274 33 03 355 56 37	159.462 211.778 133.048	159.490 211.815 133.072
120881	90H6208	E 365524.899 N5458902.697 El 7.702	0.9998234	1.0000012	97428 123182	90H6207 90H6209	TERR TERR	94 33 03 317 05 24	211.778 194.855	211.815 194.890
123182	90H6209	E 365392.232 N5459045.414 El 17.756	0.9998222	0.9999996	186189 177105 120881	90H6211 90H6210 90H6208	TERR TERR TERR	2 08 14 2 56 29 137 05 24	485.745 214.312 194.855	485.831 214.350 194.890
177105	90H6210	E 365403.229 N5459259.444 El 18.673	0.9998220	0.9999995	186189 123182	90H6211 90H6209	TERR TERR	1 30 09 182 56 29	271.470 214.312	271.519 214.350

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
186189	90H6211	E 365410.347 N5459530.821 El 19.091	0.9998219	0.9999994	214718 236737 177105 123182	90H6212 90H6213 90H6210 90H6209	TERR TERR TERR TERR	90 47 07 91 07 55 181 30 09 182 08 14	346.765 798.018 271.470 485.745	346.827 798.161 271.519 485.831
214718	90H6212	E 365757.080 N5459526.069 El 19.258	0.9998208	0.9999994	236737 157453 186189	90H6213 94H1627 90H6211	TERR TERR TERR	91 23 53 203 27 38 270 47 07	451.264 193.258 346.765	451.345 193.292 346.827
236737	90H6213	E 366208.209 N5459515.058 El 19.477	0.9998193	0.9999994	186189 214718	90H6211 90H6212	TERR TERR	271 07 55 271 23 53	798.018 451.264	798.161 451.345
254573	90H6214	E 366197.776 N5459094.877 El 16.949	0.9998197	0.9999998	MARKER DESTROYED					
260752	90H6215	E 366191.061 N5458893.779 El 9.916	0.9998208	1.0000009	257287	80H3511	TERR	181 48 34	271.335	271.383
263376	90H6216	E 366381.408 N5459451.787 El 18.100	0.9998189	0.9999996	269837	90H6217	TERR	91 25 50	392.384	392.456
269837	90H6217	E 366773.670 N5459441.990 El 22.494	0.9998169	0.9999989	351189 263376	90H6218 90H6216	TERR TERR	142 41 47 271 25 50	429.229 392.384	429.307 392.456
351189	90H6218	E 367033.798 N5459100.566 El 18.477	0.9998167	0.9999995	269837	90H6217	TERR	322 41 47	429.229	429.307
353250	90H6219	E 367170.643 N5459017.406 El 10.973	0.9998174	1.0000007	297788 461889	80H3493 80H3504	TERR TERR	93 52 19 243 26 56	241.534 184.409	241.578 184.443
766758	90H6220	E 368384.285 N5454340.332 El 39.191	0.9998091	0.9999963	196030 149971	87H2624 80H3322	TERR TERR	6 32 22 181 45 05	316.935 133.698	316.996 133.723
501940	91H9822	E 368744.046 N5458692.579 El 33.080	0.9998089	0.9999972	661868 494401	80H3522 80H3519	TERR TERR	90 06 12 183 02 38	184.140 172.391	184.175 172.424
517201	91H9823	E 369118.993 N5455324.518 El 43.717	0.9998060	0.9999956	981316 732065	80H3380 80H3371	TERR TERR	4 49 01 171 50 35	327.504 120.122	327.567 120.146

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing	Distance Metres	Distance Metres
76893	91H9824	E 368596.077 N5454404.255 El 44.812	0.9998075	0.9999954	462325 492173	80H8340 80H3323	TERR TERR	5 25 50 181 19 46	249.160 194.273	249.208 194.311
679209	93H1013	E 369450.896 N5458381.283 El 52.221	0.9998036	0.9999942	192963 130120 290080	80H3530 93H1014 80H3528	TERR TERR TERR	7 09 22 73 31 47 248 15 06	197.061 236.178 192.825	197.100 236.225 192.862
130120	93H1014	E 369677.383 N5458448.244 El 61.817	0.9998014	0.9999927	637447 679209 835785	93H1015 93H1013 80H3536	TERR TERR TERR	63 11 38 253 31 47 357 06 32	222.762 236.178 225.336	222.806 236.225 225.381
637447	93H1015	E 369876.206 N5458548.704 El 63.448	0.9998005	0.9999925	402396 491043 130120	80H3541 93H1016 93H1014	TERR TERR TERR	26 11 19 86 29 51 243 11 38	234.534 241.840 222.762	234.581 241.889 222.806
491043	93H1016	E 370117.595 N5458563.478 El 61.602	0.9998000	0.9999928	932061 637447	93H1017 93H1015	TERR TERR	94 16 47 266 29 51	127.113 241.840	127.138 241.889
932061 removed	93H1017	E 370244.353 N5458553.992 El 60.924	0.9997997	0.9999929	491043	93H1016	TERR	274 16 47	127.113	127.138
375741	94H1626	E 365726.597 N5459018.608 El 16.098	0.9998214	0.9999999	230219 97428	NO MARKING 90H6207	TERR TERR	1 55 40 175 56 37	143.826 133.048	143.852 133.072
157453	94H1627	E 365680.140 N5459348.787 El 17.866	0.9998212	0.9999996	214718 477158	90H6212 94H1628	TERR TERR	23 27 38 181 46 52	193.258 184.852	193.292 184.885
477158	94H1628	E 365674.395 N5459164.024 El 16.757	0.9998214	0.9999998	157453 230219	94H1627 NO MARKING	TERR TERR	1 46 52 91 40 42	184.852 57.065	184.885 57.075
699538	95H2005	E 368435.674 N5455393.308 El 19.592	0.9998120	0.9999994	143040 260950	80H3378 80H3361	TERR TERR	1 40 22 187 10 03	158.608 265.228	158.638 265.278
941062	96H2079	E 368304.077 N5456547.963 El 4.829	0.9998147	1.0000017	542449 400705	96H2080 80H3415	TERR TERR	14 05 23 150 51 36	142.932 314.217	142.959 314.276
542449	96H2080	E 368338.872 N5456686.595 El 4.867	0.9998146	1.0000017	597096 941062	80H3999 96H2079	TERR TERR	16 50 45 194 05 23	334.244 142.932	334.306 142.959

MARKER IDENTIFIERS		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
713446	LEGAL 2	E 368420.197 N5458083.834 El 9.222	0.9998137	1.0000010	959494	80H3477	TERR	28 18 16	30.083	30.089
					681437	80H3470	TERR	240 58 35	91.694	91.711

Integrated Survey Area - Official Coordinate Control Monument Listing

ISA 37 - Port Alberni

This coordinate control monument listing is published by the Office of The Surveyor General. A printed copy of the listing, associated diagrams and official plans are on deposit in the appropriate Land Title Office as required under the Land Survey Act, Part 2, Section 12 (2). The published results are derived from a control survey conducted by a British Columbia Land Surveyor and performed to control survey instructions issued and standards set by the Office of the Surveyor General. The coordinates are Universal Transverse Mercator based on the North American Datum 1983 - Canadian Spatial Reference System (NAD83 (CSRS).

Tablet Marking	UTM Northing	UTM Easting	Elevation metres	Ellipsoidal Factor	Combined Factor	Monument Condition
98H2205	5455886.693	370170.666	85.957	0.9999889	0.9997961	good
98H2206	5455862.104	370621.178	90.562	0.9999882	0.999794	good
98H2207	5455881.123	371142.672	112.508	0.9999847	0.9997888	good
98H2208	5455871.657	371786.525	152.374	0.9999785	0.9997806	good